

16

PRINTER RUSH
(PTO ASSISTANCE)

Application : 09/20/107 Examiner : Bleck GAU : 3626
From : MR Location : IBC FMF FDC Date : 01-27-06

Tracking #: EP109201107 Week Date: 09-19-05

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input checked="" type="checkbox"/> DRW	<u>11-30-98</u> <u>04-24-02</u>	
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input type="checkbox"/> SPEC		

[RUSH] MESSAGE: ATTN: Chief Draftsperson

Drawings for Figures 9, 10, 12, 14 and 15
contains illegible data.

Please resolve.

Thank you,
MR

[XRUSH] RESPONSE: _____

Draw corrected

INITIALS: WJG

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04




FIGURE 1

Figure 1 is a schematic diagram of a patient selection interface. The interface is titled "Select Patient" and features a list of patient names (Clinton, William; Dougherty, Gracie; Flynn, Grace; Harrington, Mary; Jones, Frederick; Sullivan, Patti) with corresponding age and gender information. A search bar is located at the top left, and a "New Pt." button is at the bottom left. The interface includes "OK" and "Cancel" buttons at the bottom right. Various components are labeled with reference numerals: 10 for the main window, 12 for the title bar, 14 for the search bar, 16 for the patient list, 18 for the age column, 20 for the gender column, 22 for the "New Pt." button, 24 for the "OK" button, 26 for the "Cancel" button, 28 for the patient list area, 30 for the search bar area, 32 for the patient list area, 34 for the patient list area, 36 for the "New Pt." button, 38 for the "OK" button, and 40 for the "Cancel" button.

Figure 2

Figure 1 is a schematic diagram of a medical record management system interface. The interface is divided into several sections:

- 39 (Main Menu/Buttons):** Includes buttons for "Select Patient", "Rx History", "Condition", "Rx Options", "Drug", "Size", "Updating", "Rx Info", "Dosing", "Size", "Route", "Form", "G", "Drug", and "Allergies".
- 40 (Patient Information):** Includes fields for "Select Patient" (Mary Harrington), "Rx History", "Condition" (Hypertension, Hypothyroidism), "Rx Options", "Drug" (Atenolol, Synthroid), "Size" (50 mg, 100 mcg), "Updating", "Rx Info", "Dosing" (1 PO QD, 1 PO QD), "Size", "Route", "Form", "G", "Drug", and "Allergies" (Penicillin).
- 42 (Prescriptions):** Includes fields for "Rx History", "Condition", "Rx Options", "Drug", "Size", "Updating", "Rx Info", "Dosing", "Size", "Route", "Form", "G", "Drug", and "Allergies".
- 43 (Medication Details):** Includes fields for "New Rx", "Condition", "Drug", "Size", "Route", "Form", "G", "Drug", and "Allergies".
- 44 (Medication History/Log):** Includes a table with columns for Condition, Drug, Size, Route, Form, G, Drug, and Allergies.
- 45 (Patient Name):** Includes a field for Patient Name (Mary Harrington).

Figure 1 is a schematic diagram of a medical record management system interface. The interface is divided into several sections:

- 39 (Main Menu/Buttons):** Includes buttons for "Select Patient", "Rx History", "Condition", "Rx Options", "Drug", "Updating", "Rx Info", "Dosing", "Size", "Route", "Amt", "Refill", "Dosing", and "Expires".
- 40 (Patient Information):** Includes fields for "Select Patient" (Mary Harrington), "Rx History", "Condition" (Hypertension, Hypothyroidism), "Rx Options", "Drug" (Atenolol, Synthroid), "Size" (50 mg, 100 mcg), "Updating", "Rx Info", "Dosing" (1 PO QD, 1 PO QD), "Size", "Route", "Amt" (30), and "Expires".
- 42 (Prescriptions):** Includes fields for "PROBLEMS" (Pharyngitis, Bronchitis), "Allergies" (Penicillin), "Renew Rx", and "Expires".
- 43 (Medication Details):** Includes fields for "New Rx", "Condition", "Drug", "Form", "Size", "Route", "Amt", "Refill", "Dosing", and "Expires".
- 44 (Medication History/Log):** A table with columns for Condition, Drug, Form, Size, Route, Amt, Refill, Dosing, and Expires, showing a list of medications and their dosages.

FIGURE 3




FIGURE 4




FIGURE 5

114 112 110 120

Select Drug

Conditions	Formulary Drugs
Dx-Personal	Cimetidine 2118
Dx-Alphabetic 2114	Ranitidine 2118
Dx-Category	Antacid 118
Dx-Patient	Other 118
Dx-Custom 1	
Dx-Custom 2	
Angina/CAD	
Asthma	
Bronchitis 116	
CHF	
Contraception	
COPD	
Cyetitis	
Depression	
Diabetes	
GERD 116	
Hypertension 116	
Hypothyroidism	
Migraine	
Osteoartsitis	
Otitis Media	
Pneumonia	
Prostatitis	
PUD/Gastritis	
Rheumaty Arthritis	
Rhinitis	
Sinusitis 116	

FIGURE 6

Dx-Category	Conditions	Select Drug	Nonformulary Drugs
Dx-Alphabetic	Angina/CAD	Cimetidine	Famotidine
Dx-Patient	Asthma	Ranitidine	Nizatidine
Dx-Custom 1	Bronchitis	Antacid	Omeprazole
Dx-Custom 2	CHF	Other	Sucralfate
	Contraception		
	COPD		
	Cystitis		
	Depression		
	Diabetes		
	GERD		
	Hypertension		
	Hypothyroidism		
	Migraine		
	Osteoarthritis		
	Otitis Media		
	Pneumonia		
	Prostatitis		
	PUD/Gastritis		
	Rheumatoid Arthritis		
	Rhinitis		
	Sinusitis		

FIGURE 7

Select Conditions		
Dx by Body System	Drug Category	Drug
114	cough/cold preps	Acetazolamide
114	coumadin	Acetazolamide Sodium
115	cromolyn	Aldactazide 25/25
	cycloplegics	Aldactazide 50/50
	decongestants	Aldactone
	digestive aids	Aldarex Plus 25/25
	digestive onzymos	Allex
	digitalis	Amiloride & HCTZ
	direct muscle relaxant	Amiloride HCl
	diuretics	Anhydron
	DMSO	Benitroflumethiazide
	dopaminergics	Bumetanide
	ergot alkaloids	Bumex
	erythromycins	Chlorothiazide
	estrogen comb.	Chlorothiazide Sodium
	flouride(s)	Chlorthalidone
	floxacin	Cyclothiazide
	gastric acidifiers	Daramide
	glucocorticoids	Diamox
	gold preps	Diamox Sequels
	growth hormone	Dichlorphenamide
	H2-antagonists	Diruil
	heparin	Diuril
	hormones	Dyazide
	hypokalemics	Dyrenium
	immunosuppressives	Edecrin
	inhalants	Enduron
		Esidrix

FIGURE 9

Select Conditions		-Drug Specified	
<div> <div>Drug List</div> <div> <div>Rx Personal</div> <div>Rx-Alphabetic</div> <div>Rx-Category</div> <div>Rx-Custom 1</div> <div>Rx-Custom 2</div> </div> </div>	<div>Drug</div> <div> Achromycin Achromycin V Amdinocillin Amoxicillin Amoxil Ampicillin Ampicillin Sodium Ampicillin w/Proben Augmentin Azithromycin Azlocillin Sodium Bactrim Bactrim DS Beepen- VK Betapen-VK Biaxin Cecor Cefaclor Cefadroxil Cefanex Cefixime Cefobid Cefotan Cefprozil Ceftin Cefzil Cephalexin Cephalothin Sodium </div>	<div>Personal</div> <div> Otitis Media Tonsillitis Urinary Tract Infec </div>	<div>Other</div> <div> Acne ADD Alcohol Abuse Anemia Angina Anti-toxin/venom Anxiety disorders Arrhythmia Asthma Bacterial Bladder disorder BPH Bronchitis Cancer CHF Chloamphenicol Cholelithiasis Cirrhosis/Hepatitis Clotting disorders Constipation Contraception Convulsive disorders COPD Dementia Depression Dermatitis, Eczema, se Diabetes/ Diabetes ins Diarrhea </div>

FIGURE 10

Not a First Line Drug

Cefixime is not the best first line agent available for Otitis Media.
Consider instead:

Amoxicillin

Trimethoprim/ Sulfa

Confirm :

Tx Guidelines

Cefixime

Cancel

Figure 11




FIGURE 12

Figure 1 is a schematic diagram of a graphical user interface for a medical record system. The interface is divided into several sections. At the top, there is a title bar with a menu icon (144) and a search icon (146). Below the title bar is a header section (148) containing a 'Problem Record' label. The main area is a table with columns for 'Problem', 'Ac', 'Diagn. Physician', 'Date', 'DR. Host', 'Resolv. Physician', and 'Date'. The table contains data for 'Bronchitis', 'Hypertension', 'Hypothyroidism', and 'Depression'. At the bottom, there is a footer section (160) with buttons for 'Choose Status', 'Add', 'Ok', and 'Cancel'.

Problem	Ac	Diagn. Physician	Date	DR. Host	Resolv. Physician	Date
Bronchitis	Y	Dr. Host	02-09-94			
	N	Dr. Host	02-03-94			03-21-94
Hypertension	Y	Dr. Host	02-14-94			
Hypothyroidism	Y	Dr. Host	02-14-94			
Depression	Y	Dr. Host	03-21-94			

At the bottom of the interface, there are four buttons: 'Choose Status', 'Add', 'Ok', and 'Cancel'.

FIGURE 13

FIGURE 14

SCHEDULED DOSAGE DRUG PACK

MONDAY

January 2
1995

PT: MARY HARRINGTON
MD: Dr. Christian Host

	DRUG NAME	DRUG NAME	DRUG NAME	DRUG NAME
	Special Instructions			
8 A.M.	—	o o		
12 NOON	—			
4 P.M.	—	o o		

188

FIGURE 15




Figure 16